Płyn do mycia naczyń green apple



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: 1.1

Naia extra

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Dishwashing detergent

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet: MD Trade Zofia i Roman Macioszek Sp. J. ul. Palucka 27-33 62-200 Gniezno - Wielkopolskie - Polska Phone.: +48 616675333 -Fax: +48 616394536 mdtrade@mdtrade.pl

#### **Emergency telephone number:** 1.4

## SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the substance or mixture: 2.1

### Directive 67/548/EC and Directive 1999/45/EC:

In accordance with Directive 67/548/EC and Directive 1999/45/EC, the product is not classified as dangerous.

### CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2 Skin Irrit. 2: Skin irritation, Category 2

#### Label elements: 2.2

CLP Regulation (EC) nº 1272/2008:



### Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation Skin Irrit. 2: H315 - Causes skin irritation

## **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P321: Specific treatment is urgently needed (go to see a doctor with the Safety data sheet for this product)

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

## Supplementary information:

Non-applicable

#### 2.3 Other hazards:

Non-applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical description:** 

Mixture composed of chemical products

### **Components:**

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continue)

Identification		Chemical name/Classification				
CAS: 68891-38-3	Alcohols, C12-14(ev	en numbered), ethoxylated < 2.5 EO, sulfates, sodium salts Self-classified				
EC: 500-234-8 Index: Non-applicable	Directive 67/548/EC	Xi: R38, R41	1 - <2,5 %			
REACH:01-2119488639-16-XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger				
CAS: 85536-14-7	Benzenesulfonic acid	d, 4-C10-13-sec-alkyl derivs Self-classified				
EC: 287-494-3 Index: Non-applicable	Directive 67/548/EC	C: R34; Xn: R22	1 - <2,5 %			
REACH: 01-2119490234-40-XXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Corr. 1C: H314 - Danger				
CAS: 68155-07-7	Amides, c8-18(even	numbered) and c18-unsatd., n, n-(hydroxyethyl) Self-classified				
EC: 931-329-6 Index: Non-applicable	Directive 67/548/EC	Xi: R38, R41	1 - <2,5 %			
REACH:01-2119490100-53-XXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger				

## SECTION 4: FIRST AID MEASURES

#### 4.1 **Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the MSDS of this product.

## By inhalation:

This product does not contain substances classified as dangerous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

## By eye contact:

Rinse eyes thoroughly with luke warm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as guickly as possible with the MSDS of the product.

## By consumption:

Do not induce vomiting, but if it does happen keep the head up to avoid inhalation. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### Indication of any immediate medical attention and special treatment needed: 4.3

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media: 5.1

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

#### Special hazards arising from the substance or mixture: 5.2

As a result of combustion or thermal decomposition reactive subproducts are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## Additional provisions:



## SECTION 5: FIREFIGHTING MEASURES (continue)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflamation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### 6.2 Environmental precautions:

Avoid spillage into an aqueous medium as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into an aqueous medium notify the relevant authority.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

## 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximun Temp.:30 °CMaximum time:24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

#### Safety data sheet According to 1907/2006/EC (REACH), 453/2010/EC

## Naja extra Płyn do mycia naczyń green apple



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

Substances whose occupational exposure limits have to be monitored in the work environment

There are no environmental limits for the substances contained in the product

### **DNEL (Workers):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m <sup>3</sup>	Non-applicable
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 85536-14-7	Dermal	Non-applicable	Non-applicable	170 mg/kg	Non-applicable
EC: 287-494-3	Inhalation	Non-applicable	Non-applicable	12 mg/m <sup>3</sup>	12 mg/m <sup>3</sup>
Amides, c8-18(even numbered) and c18-unsatd., n, n- (hydroxyethyl)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68155-07-7	Dermal	Non-applicable	Non-applicable	4,16 mg/kg	Non-applicable
EC: 931-329-6	Inhalation	Non-applicable	Non-applicable	73,4 mg/m <sup>3</sup>	Non-applicable

## DNEL (Population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m <sup>3</sup>	Non-applicable
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	Oral	Non-applicable	Non-applicable	0,85 mg/kg	Non-applicable
CAS: 85536-14-7	Dermal	Non-applicable	Non-applicable	85 mg/kg	Non-applicable
EC: 287-494-3	Inhalation	Non-applicable	Non-applicable	3 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>
Amides, c8-18(even numbered) and c18-unsatd., n, n- (hydroxyethyl)	Oral	Non-applicable	Non-applicable	6,25 mg/kg	Non-applicable
CAS: 68155-07-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 931-329-6	Inhalation	Non-applicable	Non-applicable	21,73 mg/m <sup>3</sup>	Non-applicable

## PNEC:

Identification				
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	STP	10000 mg/L	Fresh water	0,24 mg/L
CAS: 68891-38-3	Soil	0,946 mg/kg	Marine water	0,024 mg/L
EC: 500-234-8	Intermittent	0,071 mg/L	Sediment (Fresh water)	5,45 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,545 mg/kg
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	STP	3,43 mg/L	Fresh water	0,287 mg/L
CAS: 85536-14-7	Soil	35 mg/kg	Marine water	0,0287 mg/L
EC: 287-494-3	Intermittent	0,0167 mg/L	Sediment (Fresh water)	0,287 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,287 mg/kg
Amides, c8-18(even numbered) and c18-unsatd., n, n- (hydroxyethyl)	STP	830 mg/L	Fresh water	0,007 mg/L
CAS: 68155-07-7	Soil	0,0189 mg/kg	Marine water	0,0007 mg/L
EC: 931-329-6	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,0424 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding ""CE marking"" in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more infomation see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



CAT II

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

- B.- Respiratory protection
  - The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.
- C.- Specific protection for the hands

с.							
	Pictogram	PPE	Labelling	CEN Standard	Remarks		
	Mandatory hand protection	Chemical protective gloves	CATI	EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	Replace the gloves at any sign of deterioration.		
D	Ocular and facial	protection					
	Pictogram	PPE	Labelling	CEN Standard	Remarks		
	Mandatory face	Panoramic glasses against liquid splash		EN 166:2001 EN 172:1994/A1:2000 EN 172:1994/A2:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.		

protection E.- Bodily protection

Mandatory face

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI	EN ISO 13688:2013	For professional use only.
	Anti-slip work shoes		EN ISO 20347:2012 EN ISO 20344:2011	None

EN ISO 4007:2012

### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2002	Evewash stations	DIN 12 899 ISO 3864-1:2002

## **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### **Appearance:**

en
ilable
ure: 100 °C
2349 Pa
12378 Pa (12 kPa)
roduct, not providing information property of its hazards.



SECT	FION 9: PHYSICAL AND CHEM	AL PROPERTIES (continue)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1032 kg/m³
	Relative density at 20 °C:	1,051
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/wat	20 °C: Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility property:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Autoignition temperature:	255 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the pr	duct, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

## 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## 10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Not applicable	Not applicable

## **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.



## SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1** Information on toxicological effects:

No experimental information is available on the product itself in relation to the toxicological properties. When performing the danger classification on corrosive or irritant effects the recommendations included in section 3.2.5 of Annex VI of Directive 67/548/EC, in paragraphs b) and c) of section 3 of article 6 of Directive 1999/45/EC and in section 3.2.3.3.5. of Annex I of CLP Regulation were taken into account.

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A.- Ingestion:

B- Inhalation:

- C- Contact with the skin and the eyes:
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
- E- Sensitizing effects:
- F- Specific target organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	LD50 oral	1219 mg/kg	Rat
CAS: 85536-14-7	LD50 dermal	Non-applicable	
EC: 287-494-3	LC50 inhalation	Non-applicable	

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the ecotoxicological properties of the product itself is not available

#### 12.1 Toxicity:

Identification		Acute toxicity	Specie	Genus
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	LC50	7,1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7,4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 500-234-8	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Alga
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	LC50	5 mg/L (48 h)	Leuciscus idus	Fish
CAS: 85536-14-7	EC50	5,9 mg/L (24 h)	Daphnia magna	Crustacean
EC: 287-494-3	EC50	14 mg/L (72 h)	Scenedesmus subspicatus	Alga
Amides, c8-18(even numbered) and c18-unsatd., n, n- (hydroxyethyl)	LC50	2,4 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 68155-07-7	EC50	3,2 mg/L (48 h)	Daphnia magna	Crustacean
EC: 931-329-6	EC50	23,4 mg/L (72 h)	Scenedesmus subspicatus	Alga



## SECTION 12: ECOLOGICAL INFORMATION (continue)

## 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	BOD5	Non-applicable	Concentration	10,5 mg/L
CAS: 68891-38-3	COD	Non-applicable	Period	28 days
EC: 500-234-8	BOD5/COD	Non-applicable	% Biodegradable	100 %
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 85536-14-7	COD	Non-applicable	Period	28 days
EC: 287-494-3	BOD5/COD	Non-applicable	% Biodegradable	94 %

## **12.3** Bioaccumulative potential:

Identification	Bioaccumulation potential		
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	BCF		
CAS: 85536-14-7	Pow Log	2	
EC: 287-494-3	Potential		
Amides, c8-18(even numbered) and c18-unsatd., n, n-(hydroxyethyl)	BCF	44	
CAS: 68155-07-7	Pow Log	1,35	
EC: 931-329-6	Potential	Moderate	

## 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Amides, c8-18(even numbered) and c18-unsatd., n, n- (hydroxyethyl)	Кос	243	Henry	3,7E-7 Pa·m³/mol
CAS: 68155-07-7	Conclusion	Moderate	Dry soil	No
EC: 931-329-6	Surface tension	27700 N/m (24,5 °C)	Moist soil	No

## 12.5 Results of PBT and vPvB assessment:

#### Non-applicable

## **12.6 Other adverse effects:**

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1** Waste treatment methods:

Code	Description	Waste class (Directive 2008/98/EC)	
20 01 29*	Detergents containing dangerous substances	Dangerous	
Waste management (dispess) and evaluation):			

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2000/532/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**


In accordance with Annex II of Regulation (EC)  $n^{0}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2000/532/EC: Commission Decision of 3 May 2000

## SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2013 and RID 2013:



# SECTION 15: REGULATORY INFORMATION

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine. Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

- CONTINUED ON NEXT PAGE -



 $\langle \dot{!} \rangle$ 



Regulation (EC) 1005/2009, about substances that deplete the ozone laver; Non-applicable

Active substances for which a decision of non-inclusion onto Annex I (Regulation (EU) No 528/2012); Non-applicable

Regulation (EC) 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

## Regulation (EC) nº648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

## **Contents labelled:**

Component	Concentration interval
Anionic surfactants	% (w/w) < 5
Amphoteric surfactants	% (w/w) < 5
Non-ionic surfactants	% (w/w) < 5
Perfum	

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methyl-2H-isothiazol-3-one (METHYLISOTHIAZOLINONE).

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH): Non-applicable

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

### Other legislation:

Non-applicable

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Nº 1907/2006 (Regulation (EC) Nº 453/2010)

Modifications related to the previous security card which concerns the ways of managing risks. :

Non-applicable

#### Text of R-phrases considered in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### Directive 67/548/EC and Directive 1999/45/EC:

- R22: Harmful if swallowed
- R34: Causes burns
- R38: Irritating to skin
- R41: Risk of serious damage to eyes
- CLP Regulation (EC) nº 1272/2008:





SECTION 16: OTHER INFORMATION (continue) Acute Tox, 4: H302 - Harmful if swallowed Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Dam. 1: H318 - Causes serious eye damage Skin Corr. 1C: H314 - Causes severe skin burns and eye damage Skin Irrit. 2: H315 - Causes skin irritation Advice related to training: Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. **Principal bibliographical sources:** http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: - ADR: European agreement concerning the international carriage of dangerous goods by road -IMDG: International maritime dangerous goods code -IATA: International Air Transport Association -ICAO: International Civil Aviation Organisation -COD: Chemical Oxygen Demand -BOD5: 5-day biochemical oxygen demand -BCF: Bioconcentration factor -LD50: Lethal Dose 50 -CL50: Lethal Concentration 50 -EC50: Effective concentration 50 -Log-POW: Octanol-water partition coefficient -Koc: Partition coefficient of organic carbon

The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 1